

1080HD Left-hand Control Requirements

1000+ heavy-duty combinations

Function	Number of Positions	Button Color	Pad Printing (insert text in cells below)	Isolated Circuit	Button Profile	Current Load (insert text in cells below)	Connector
Headlight Switch/Slider Switch	<input type="checkbox"/> 4 <input type="checkbox"/> 3 <input type="checkbox"/> 2	<input type="checkbox"/> Gray		N/A	N/A		N/A
Forward Facing Momentary Switch	N/A	<input type="checkbox"/> Yellow		<input type="checkbox"/> Yes <input type="checkbox"/> No	N/A		N/A
Two-position Rocker Switch	N/A	<input type="checkbox"/> Red		N/A	N/A		N/A
Right Momentary Push Switch	N/A	<input type="checkbox"/> Gray <input type="checkbox"/> Green <input type="checkbox"/> Yellow		N/A	N/A		N/A
Left Momentary Push Switch	N/A	<input type="checkbox"/> Gray <input type="checkbox"/> Green <input type="checkbox"/> Yellow		N/A	N/A		N/A
Front Facing Slider Switch	<input type="checkbox"/> 3 <input type="checkbox"/> 2	<input type="checkbox"/> Red <input type="checkbox"/> Gray <input type="checkbox"/> Orange		N/A	N/A		N/A
Pull-on/Push-off Switch	N/A	<input type="checkbox"/> Red		N/A	<input type="checkbox"/> High <input type="checkbox"/> Low		N/A
Wire Harness	N/A	N/A	N/A	N/A	N/A	N/A	
Handlebar Spike (choose one) add comments.	<input type="checkbox"/> Plastic <input type="checkbox"/> Metal						
Choke (comments)							
Additional Comments							

Honeywell Sensing and Control

1985 Douglas Drive North

Golden Valley, MN 55422

www.honeywell.com

006174-1-EN IL50 GLO

May 2009

Copyright © 2009 Honeywell International Inc. All rights reserved.